RECEIVED CENTRAL FAX CENTER APR 0 9 2007

In the claims:

For the Examiner's convenience, all pending claims are presented below with changes shown. Please cancel claims 5, 6 and 17 without prejudice

3037406962

- 1. (Currently Amended) A handheld computing device comprising:
 - a housing;
 - a display mounted on the housing; and
 - an antenna located on a top glass layer of the display; and
 - an amplification circuit, coupled to the antenna, mounted on the display.
- 2. (Original) The device of claim 1 wherein the antenna is etched on the display.
- 3. (Original) The device of claim 1 wherein the antenna is sputter etched on the display.
- 4. (Cancelled)
- 5. (Cancelled)
- 6. (Cancelled)
- 7. (Currently Amended) The device of claim 1 6 wherein the amplification circuit is mounted on the display using chip on glass technology.
- 8. (Original) The device of claim 1 wherein the antenna is a center-fed dipole antenna.
- 9. (Original) The device of claim 1 wherein the antenna is an end-fed dipole

Docket No. 42P11691 Application No. 10/023,018 antenna.

- 10. (Original) The device of claim 1 wherein the handheld computing device is a personal computer (PC) tablet.
- 11. (Original) The device of claim 1 wherein the handheld computing device is a personal digital assistant (PDA).
- 12. (Currently Amended) A method comprising:

 mounting an antenna on a top glass layer of a display of a computing apparatus;

 and

mounting the amplification circuit on the display.

- 13. (Original) The method of claim 12 wherein mounting the antenna further comprises etching the antenna on the display.
- 14. (Cancelled)
- 15. (Cancelled)
- 16. (Currently Amended) The method of claim 1 further comprising coupling an the amplification circuit to the antenna.
- 17. (Cancelled)
- 18. (Currently Amended) The method of claim 12 17 wherein the amplification circuit is mounted on the display using chip on glass technology.
- 19. (Original) The method of claim 12 wherein the computing apparatus is a

Docket No. 42P11691 Application No. 10/023,018 personal computer (PC) tablet.

20. (Original) The method of claim 12 wherein the computing apparatus is a personal digital assistant (PDA).

3037406962

21. (Currently Amended) A handheld computing device comprising:

a display;

a radio frequency (RF) transceiver mounted on the display; and

an antenna, coupled to the RF transceiver, mounted on a top glass layer of the

display; and

an amplification circuit, coupled to the antenna, mounted on the display.

- 22. The device of claim 21 further comprising a network controller (Original) coupled to the RF transceiver.
- 23. (Original) The device of claim 22 wherein the network controller further comprises:

media access layer (MAC) digital signal processor (DSP); and a baseband DSP coupled to the MAC DSP.

- 24. (Previously Presented) The device of claim 23 wherein the baseband DSP comprises:
 - a baseband state machine;
 - a coding element coupled to the baseband state machine; and a modulation element coupled to the coding element.
- 25. (Original) The device of claim 24 wherein the baseband DSP further

Docket No. 42P11691 Application No. 10/023,018

comprises:

- a digital to analog converter (DAC) DSP coupled to the baseband DSP; and an analog to digital converter (ADC) DSP coupled to the baseband DSP.
- 26. (Original) The device of claim 21 wherein the handheld computing device is a personal computer (PC) tablet.
- 27. (Original) The device of claim 21 wherein the handheld computing device is a personal digital assistant (PDA).